

**GLOBAL SYSTEM FOR MOBILE
COMMUNICATION (GSM)**

Zahra_mogharray@yahoo.com

Hoda_asgharnezhad@yahoo.com

sedigheh_Ebrahimzadeh@yahoo.com

GSM

ETSI

MAP, MS , NMS , BSS , NSS , GSM :

(B)

(A)

LA

A

B A

:
(
(
(
(

:
((((

- AMPS ■
- NAMPS ■
- TACS ■


GSM
GSM NA-TDMA CDMA PDC DCS
(FDMA)
CDMA TDMA FDMA

(GSM)

CEPT
: GSM TDMA

ISDN

-
- Advanced Mobile Phone Service
 - Narrow Band AMPS
 - Total Access Communication System
 - Digital Cellular System at 1800 MHz
 - Personal Digital Cellular
 - Narrow Band TDMA
 - Frequency Division Multiple Access
 - Conference Europeenne des Postes et Telecommunications
 - Integrated Services Digital Netwo



-
- Mobile Station
 - base Station Subsystems
 - Network Switching Subsystem
 - Network Management Subsystem
 - Mobile Equipment
 - Base Transceiver Station
 - Transcoding and Rate Adaption Unit (Transcoder Unit)
 - Operation & Maintenance Center

(
 (
 (
 (NSS)
 GSM NSS
 :
 MSC , VLR , HLR , AUC , EIR , GMSC , SMS GMSC

(HLR)
 HLR
 HLR PLMN
 HLR
 (()
 MSC .. MSISDN IMSI
 VLR

(VLR)
 MS VLR MSC MS
 MSC Location Update LA
 VLR MS LA
 LA LA MS LA VLR
 (update MS VLR) VLR
 VLR HLR VLR LA LA
 VLR
 : VLR
 : (

IMSI, MSISDN, Mobile Station Category, Bearer Service, Tele Service,
 .Subscriber Status, Barring of Outgoing Calls, Trace Reference, Trace
 Type

-
- Authentication Center
 - Equipment Identity Register
 - Gateway MSC
 - Short Message Service GMSC
 - International Mobile Subscriber Identity
 - MobileStation International ISDN Number
 - Location Area

MSC : (TMSI , RAND, SRES, Kc, CKSN , MSRN , LAI , MSC Number, HLR Number, LA Not allowed flag, IMSI Detached Flag, Handover Number, MNRF , ... Trace Activated Flag, SS

(MSC)

MSC . GSM MSC
MS MSC . BSC

(GMSC)

MSC . PLMN MSC HLR
MSC HLR
GMSC B MSC MS
MSC


(AUC)

HLR . AUC
HLR Kc SRES RAND triplet

(EIR)


EIR . EIR
GSM : (: (: (

-
- Temporary Mobile Subscriber Identity
 - Ciphering Key Sequence Number
 - Mobile Station Roaming Number
 - Location Area Identity
 - Mobile Not Reachable Flag
 - Supplementary Service



Transmitter-Receiver (Transceiver)

GSM MAP (Transaction Capabilities Application Part) : NSS MAP (Transaction Capabilities Application Part)
 MAP-OPEN , MAP-CLOSE , MAP-DELIMITER , MAP-U-ABORT , MAP-P- ABORT , MAP-NOTICE
 : MAP (MOBILITY , OPERATION AND MAINTENANCE , CALL HANDLING SUPPLEMENTARY , SHORT MESSAGE SERVICE MANAGEMEN
 PRIMITIVE (Request , Indication , Response , Confirm : MAP



Transaction Capabilities Application Part
 Map User Abort
 Map Provider Abort

:

[]<http://www.nokia.com>

[]<http://www.etsi.org>